

WHAT IS CLAIMED IS:

1. A stamp detecting device comprising:

an image input section which inputs an image of a letter having at least one stamp affixed thereto; and

5 a stamp detecting section which detects a stamp by determining a gap area as an internal area of the stamp if the size of the gap area is within a preset permissible range in a case where the gap area which is partly determined as an external area of the stamp is present in an area which is determined as the internal area of the stamp affixed to the letter based on the image input from said image input section.

10 2. The stamp detecting device according to claim 1, wherein said stamp detecting section derives a projection value of one of density and luminance based on an image input from said image input section, determines an internal area of the stamp according to a stamp internal area threshold value with respect to the projection value, determines an external area of the stamp according to a stamp external area threshold value with respect to the projection value, and determines whether or not the gap area lies within a preset permissible range according to a gap permissible value with respect to the size of the gap area.

25 3. The stamp detecting device according to claim 2, further comprising a control section which changes conditions of the stamp internal area threshold

value, stamp external area threshold value and gap
permissible value based on the size of the stamp
detected by said stamp detecting section and causes
said stamp detecting section to perform the stamp
5 detecting process again.

4. A letter processing apparatus comprising:

an image input section which inputs an image of a
letter having at least one stamp affixed thereto;

10 a stamp detecting section which detects a stamp by
determining a gap area as an internal area of the stamp
if the size of the gap area is within a preset
permissible range in a case where the gap area which is
partly determined as an external area of the stamp is
present in an area which is determined as the internal
15 area of the stamp affixed to the letter based on the
image input from said image input section;

a stamp identifying section which identifies a
type of the stamp detected by said stamp detecting
section;

20 a stamp face value calculating section which
derives a total face value of the stamps affixed to the
letter based the type of stamp identified by said stamp
identifying section; and

25 a sorting section which sorts the letter based on
the total face value of the stamps derived by said
stamp face value calculating section.

5. The letter processing apparatus according to

claim 4, wherein said stamp detecting section derives a
projection value of one of density and luminance based
on an image input from said image input section,
determines an internal area of the stamp according to a
stamp internal area threshold value with respect to the
projection value, determines an external area of the
stamp according to a stamp external area threshold
value with respect to the projection value, and
determines whether or not the gap area lies within a
preset permissible range according to a gap permissible
value with respect to the size of the gap area.

6. The letter processing apparatus according to
claim 5, further comprising a control section which
changes conditions of the stamp internal area threshold
value, stamp external area threshold value and gap
permissible value based on the size of the stamp
detected by said stamp detecting section and causes
said stamp detecting section to perform the stamp
detecting process again.

7. A letter processing apparatus comprising:
an image input section which inputs an image of a
letter having at least one stamp affixed thereto;
a stamp detecting section which detects a stamp
affixed to the letter based on one of a density
projection value and luminance projection value derived
according to the image input by said image input
section;

a stamp identifying section which identifies the type of stamp detected by said stamp detecting section;

5 a stamp face value determining section which derives a total face value of the stamps affixed to the letter based on the type of the stamp identified by said stamp identifying section; and

a sorting section which sorts the letter based on the total face value of the stamps derived by said stamp face value determining section.

10 8. The letter processing apparatus according to claim 7, wherein said identifying section identifies a type and affixed orientation of the stamp by collating a pattern of the stamp detected by said stamp detecting section with a plurality of standard patterns
15 previously prepared for respective rotational positions of the stamp.

20 9. The letter processing apparatus according to claim 7, which further comprises a memory section which previously stores noticed area specifying information used for specifying a noticed partial area at the time
25 of identification of the stamp by said stamp identifying section and in which said stamp identifying section identifies the type of stamp by collating a pattern of the stamp detected by said stamp detecting section with a plurality of previously prepared standard patterns only in a partial area specified by the noticed area specifying information stored in said

memory section.

10. The letter processing apparatus according to claim 7, wherein said stamp identifying section identifies an affixed orientation of the stamp detected by said stamp detecting section, changes the orientation of the noticed partial area based on the identified affixed orientation and then identifies the type of the stamp.

11. The letter processing apparatus according to claim 7, which further comprises a memory section which previously stores types of total face values of permissible stamps; and a total face value determining section which determines a total face value of stamps by collating total face value amounts stored in said memory section with a total face value derived by said stamp face value determining section and in which said sorting section sorts the letter based on the total face value determined by said total face value determining section.

12. The letter processing apparatus according to claim 7, which further comprises a determining section which determines whether the total face value derived by said stamp face value determining section is adequate or not and an imprinting section which postmarks the letter based on position information of the stamp detected by said stamp detecting section when it is determined by said determining section that the

total face value derived by said stamp face value
determining section is adequate and in which said
sorting section sorts the letter based on the total
face value of the stamps derived by said stamp face
value determining section when it is determined by said
determining section that the total face value derived
by said stamp face value determining section is
adequate.

13. A stamp detecting method comprising:

inputting an image of a letter having at least one
stamp affixed thereto; and

detecting a stamp by determining a gap area as an
internal area of the stamp if the size of the gap area
is within a preset permissible range in a case where
the gap area which is partly determined as an external
area of the stamp is present in an area which is
determined as the internal area of the stamp affixed to
the letter based on the image input in said image
inputting step.

14. A letter processing method comprising:

inputting an image of a letter having at least one
stamp affixed thereto;

detecting a stamp by determining a gap area as an
internal area of the stamp if the size of the gap area
is within a preset permissible range in a case where
the gap area which is partly determined as an external
area of the stamp is present in an area which is

determined as the internal area of the stamp affixed to the letter based on the image input in said image inputting step;

5 identifying the type of stamp detected in said stamp detecting step;

deriving a total face value of the stamps affixed to the letter based on the type of the stamp identified in said identifying step; and

10 sorting the letter based on the total face value of the stamps derived in said deriving step.

15. A letter processing method comprising:

inputting an image of a letter having at least one stamp affixed thereto;

15 deriving a density projection value based on the input image;

detecting a stamp affixed to the letter based on the thus derived projection value;

identifying the type of the detected stamp;

20 deriving a total face value of the stamps affixed to the letter based on the type of the stamp thus identified; and

sorting the letter based on the thus derived total face value of the stamps.

25 16. The letter processing method according to claim 15, wherein said stamp type identifying step identifies the type and affixed orientation of the stamp by collating a pattern of the stamp detected by

said stamp detecting step with a plurality of standard patterns previously prepared for respective rotational positions of the stamp.

17. The letter processing method according to
5 claim 15, wherein said stamp type identifying step identifies a type of the stamp by collating a pattern of the stamp detected by said stamp detecting step with a plurality of previously prepared standard patterns only in a partial area specified by noticed area
10 specifying information previously stored in a memory section and used for specifying a noticed partial area at the time of identification.

18. The letter processing method according to
15 claim 15, wherein said stamp type identifying step identifies the affixed orientation of the stamp detected by said stamp detecting step, changes the orientation of the noticed partial area based on the identified affixed orientation and then identifies the type of stamp.

19. The letter processing method according to
20 claim 15, which further comprises determining a total face value of stamps by collating total face value amounts determined based on the types of permissible total face value amounts of the stamps previously
25 stored in a memory section with a total face value derived by said stamp face value determining step and in which said sorting step sorts the letter based on

the total face value determined by said total face value determining step.

20. The letter processing method according to claim 15, which further comprises determining whether the total face value of the stamps derived by said stamp face value determining step is adequate or not and postmarking the letter based on position information of the stamp detected by said stamp detecting step when it is determined by said determining step that the total face value derived by said stamp face value determining step is adequate and in which said sorting step sorts the letter based on the total face value of the stamps derived by said stamp face value determining step when it is determined by said determining step that the total face value of the stamps derived by said stamp face value determining step is adequate.